




CALIFORNIA

Water Boards

STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Silver State Analytical Labs - SEM Reno

1135 Financial Boulevard

Reno, NV 89502

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2990**

Expiration Date: **7/31/2018**

Effective Date: **2/1/2018**

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing



Silver State Analytical Labs - SEM Reno

1135 Financial Boulevard
Reno, NV 89502
Phone: (775) 857-2400

Certificate No. 2990
Expiration Date 7/31/2018

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM9215B
101.050	001	Total Coliform P/A	SM9223B (Collert)
101.050	002	E. coli P/A	SM9223B (Collert)
101.050	003	Total Coliform (Enumeration)	SM9223B (Collert)
101.050	004	E. coli (Enumeration)	SM9223B (Collert)
101.050	005	Total Coliform P/A	SM9223B (Collert 18)
101.050	006	E. coli P/A	SM9223B (Collert 18)
101.050	007	Total Coliform (Enumeration)	SM9223B (Collert 18)
101.050	008	E. coli (Enumeration)	SM9223B (Collert 18)

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	004	Silica	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (calculation)	EPA 200.7
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	009	Sulfate	EPA 300.0
102.095	001	Turbidity	SM2130B-2001
102.100	001	Alkalinity	SM2320B-1997
102.120	001	Hardness (calculation)	SM2340B-1997
102.130	001	Conductivity	SM2510B-1997
102.140	001	Residue, Filterable TDS	SM2540C-1997
102.190	001	Cyanide, Total	SM4500-CN E
102.203	001	Hydrogen Ion (pH)	SM4500-H+ B-2000
102.270	001	Surfactants	SM5540C-2000

Field of Testing: 103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8

103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.160	001	Mercury	EPA 245.1

Field of Testing: 106 - Radiochemistry of Drinking Water

106.092	001	Uranium	EPA 200.8
---------	-----	---------	-----------

Field of Testing: 107 - Microbiology of Wastewater

107.020	002	Total Coliform (Enumeration)	SM9221B-2006
107.030	002	Total Coliform with Chlorine Present	SM9221B,C-2006
107.040	002	Fecal Coliform (Enumeration)	SM9221C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM9221C,E-2006
107.060	002	Total Coliform (Enumeration)	SM9222B-1997
107.070	002	Total Coliform with Chlorine Present	SM9222B + B.5c-1997
107.080	002	Fecal Coliform (Enumeration)	SM9222D-1997
107.090	002	Fecal Coliform with Chlorine Present	SM9222D-1997
107.242	001	Enterococci	Enterolert
107.245	001	E. coli (Enumeration)	SM9223B (Collert 18)
107.245	002	E. coli (Enumeration)	SM9223B (Collert)

Field of Testing: 108 - Inorganic Chemistry of Wastewater

108.112	001	Boron	EPA 200.7
108.112	002	Calcium	EPA 200.7
108.112	003	Hardness (calculation)	EPA 200.7
108.112	004	Magnesium	EPA 200.7
108.112	005	Potassium	EPA 200.7
108.112	006	Silica, Dissolved	EPA 200.7
108.112	007	Sodium	EPA 200.7
108.120	001	Bromide	EPA 300.0
108.120	002	Chloride	EPA 300.0
108.120	003	Fluoride	EPA 300.0
108.120	008	Sulfate	EPA 300.0
108.120	012	Nitrate (as N)	EPA 300.0
108.120	013	Nitrate-Nitrite (as N)	EPA 300.0
108.120	014	Nitrite (as N)	EPA 300.0
108.264	001	Phosphate, Ortho	EPA 365.3
108.265	001	Phosphorus, Total	EPA 365.3
108.381	002	Oil & Grease Total	EPA 1664 Rev. B
108.390	001	Turbidity	SM2130B-2001
108.400	001	Acidity	SM2310B-1997
108.410	001	Alkalinity	SM2320B-1997

108.420	001	Hardness (calculation)	SM2340B-1997
108.430	001	Conductivity	SM2510B-1997
108.439	001	Residue, Volatile	SM2540E-1997
108.440	001	Residue, Total	SM2540B-1997
108.441	001	Residue, Filterable TDS	SM2540C-1997
108.442	001	Residue, Non-filterable TSS	SM2540D-1997
108.443	001	Residue, Settleable	SM2540F-1997
108.444	001	Temperature	SM2550B-2000
108.470	001	Cyanide, Total	SM4500-CN B or C-1999
108.472	001	Cyanide, Total	SM4500-CN E-1999
108.473	001	Cyanide, amenable	SM4500-CN G-1999
108.490	001	Hydrogen Ion (pH)	SM4500-H+ B-2000
108.502	002	Ammonia (as N)	SM4500-NH3 B,E-1997
108.503	002	Kjeldahl Nitrogen, Total (as N)	SM4500-NH3 B,D-1997
108.511	001	Kjeldahl Nitrogen, Total (as N)	SM4500-Norg B-1997
108.532	001	Oxygen, dissolved	SM4500-O C-2001
108.536	001	Oxygen, dissolved	SM4500-O G-2001
108.592	001	Biochemical Oxygen Demand	SM5210B-2001
108.592	002	Carbonaceous BOD	SM5210B-2001
108.605	001	Surfactants	SM5540C-2000
108.660	001	Chemical Oxygen Demand	HACH8000

Field of Testing: 109 - Toxic Chemical Elements of Wastewater

109.010	001	Aluminum	EPA 200.7
109.010	006	Boron	EPA 200.7
109.010	012	Iron	EPA 200.7
109.010	024	Tin	EPA 200.7
109.010	025	Titanium	EPA 200.7
109.020	002	Antimony	EPA 200.8
109.020	003	Arsenic	EPA 200.8
109.020	004	Barium	EPA 200.8
109.020	005	Beryllium	EPA 200.8
109.020	006	Cadmium	EPA 200.8
109.020	007	Chromium	EPA 200.8
109.020	008	Cobalt	EPA 200.8
109.020	009	Copper	EPA 200.8
109.020	010	Lead	EPA 200.8
109.020	011	Manganese	EPA 200.8
109.020	012	Molybdenum	EPA 200.8
109.020	013	Nickel	EPA 200.8
109.020	014	Selenium	EPA 200.8
109.020	015	Silver	EPA 200.8
109.020	016	Thallium	EPA 200.8
109.020	017	Vanadium	EPA 200.8
109.020	018	Zinc	EPA 200.8
109.190	001	Mercury	EPA 245.1

Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste

114.020	001	Antimony	EPA 6020
114.020	002	Arsenic	EPA 6020
114.020	003	Barium	EPA 6020
114.020	004	Beryllium	EPA 6020
114.020	005	Cadmium	EPA 6020
114.020	006	Chromium	EPA 6020
114.020	007	Cobalt	EPA 6020
114.020	008	Copper	EPA 6020
114.020	009	Lead	EPA 6020
114.020	010	Molybdenum	EPA 6020
114.020	011	Nickel	EPA 6020
114.020	012	Selenium	EPA 6020
114.020	013	Silver	EPA 6020
114.020	014	Thallium	EPA 6020
114.020	015	Vanadium	EPA 6020
114.020	016	Zinc	EPA 6020
114.141	001	Mercury	EPA 7471A
114.241	001	Corrosivity - pH Determination	EPA 9045C

Field of Testing: 115 - Extraction Test of Hazardous Waste

115.020	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311
115.021	001	TCLP Inorganics	EPA 1311
115.030	001	Waste Extraction Test (WET)	CCR Chapter 11, Article 5, Appendix II

Field of Testing: 120 - Physical Properties of Hazardous Waste

120.010	001	Ignitability	EPA 1010
120.080	001	Corrosivity - pH Determination	EPA 9045C

Field of Testing: 126 - Microbiology of Recreational Water

126.010	001	Total Coliform (Enumeration)	SM9221B,C-2006
126.020	001	Total Coliform (Enumeration)	SM9222B-1997
126.030	001	Fecal Coliform (Enumeration)	SM9221B,E-2006
126.040	001	Fecal Coliform (Enumeration)	SM9222D-1997
126.050	001	Total Coliform (Enumeration)	SM9223B (Colilert/Quanti-Tray)
126.080	001	Enterococci	Enterolert