

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1664A	n-Hexane Extractable Material (O&G)	8/1/2019	7/31/2020	Certified
EPA 1664A (SGT-HEM)	n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT)	8/1/2019	7/31/2020	Certified
EPA 200.7	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.7	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.7	Barium	8/1/2019	7/31/2020	Certified
EPA 200.7	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.7	Boron	8/1/2019	7/31/2020	Certified
EPA 200.7	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.7	Calcium	8/1/2019	7/31/2020	Certified
EPA 200.7	Calcium hardness as CaCO <sub>3</sub>	8/1/2019	7/31/2020	Certified
EPA 200.7	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.7	Cobalt	8/1/2019	7/31/2020	Certified
EPA 200.7	Copper	8/1/2019	7/31/2020	Certified
EPA 200.7	Hardness by calculation	8/1/2019	7/31/2020	Certified
EPA 200.7	Iron	8/1/2019	7/31/2020	Certified
EPA 200.7	Lead	8/1/2019	7/31/2020	Certified
EPA 200.7	Magnesium	8/1/2019	7/31/2020	Certified
EPA 200.7	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.7	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 200.7	Nickel	8/1/2019	7/31/2020	Certified
EPA 200.7	Potassium	8/1/2019	7/31/2020	Certified
EPA 200.7	Scandium	8/1/2019	7/31/2020	Certified
EPA 200.7	Selenium	8/1/2019	7/31/2020	Certified
EPA 200.7	Silver	8/1/2019	7/31/2020	Certified
EPA 200.7	Sodium	8/1/2019	7/31/2020	Certified
EPA 200.7	Strontium	8/1/2019	7/31/2020	Certified
EPA 200.7	Thallium	8/1/2019	7/31/2020	Certified
EPA 200.7	Titanium	8/1/2019	7/31/2020	Certified
EPA 200.7	Vanadium	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Zinc	8/1/2019	7/31/2020	Certified
EPA 200.8	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.8	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.8	Arsenic	8/1/2019	7/31/2020	Certified
EPA 200.8	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.8	Bismuth	8/1/2019	7/31/2020	Certified
EPA 200.8	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.8	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cobalt	8/1/2019	7/31/2020	Certified
EPA 200.8	Copper	8/1/2019	7/31/2020	Certified
EPA 200.8	Lead	8/1/2019	7/31/2020	Certified
EPA 200.8	Lithium	8/1/2019	7/31/2020	Certified
EPA 200.8	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.8	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 200.8	Nickel	8/1/2019	7/31/2020	Certified
EPA 200.8	Silver	8/1/2019	7/31/2020	Certified
EPA 200.8	Strontium	8/1/2019	7/31/2020	Certified
EPA 200.8	Thallium	8/1/2019	7/31/2020	Certified
EPA 200.8	Thorium	8/1/2019	7/31/2020	Certified
EPA 200.8	Tin	8/1/2019	7/31/2020	Certified
EPA 200.8	Titanium	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium Total Mass	8/1/2019	7/31/2020	Certified
EPA 200.8	Vanadium	8/1/2019	7/31/2020	Certified
EPA 200.8	Zinc	8/1/2019	7/31/2020	Certified
EPA 245.1	Mercury	8/1/2019	7/31/2020	Certified
EPA 300.0	Chloride	8/1/2019	7/31/2020	Certified
EPA 300.0	Fluoride	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrate as N	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrate-nitrite	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrite as N	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 420.1	Total phenolics	8/1/2019	7/31/2020	Certified
EPA 624.1	1,1,1-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,1,2,2-Tetrachloroethane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,1,2-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,1-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,1-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 624.1	1,2-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 624.1	1,2-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,2-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 624.1	1,3-Dichlorobenzene	11/8/2019	7/31/2020	Interim
EPA 624.1	1,4-Dichlorobenzene	11/8/2019	7/31/2020	Interim
EPA 624.1	2-Chloroethyl vinyl ether	8/1/2019	7/31/2020	Certified
EPA 624.1	Acrolein (Propenal)	2/3/2020	7/31/2020	Interim
EPA 624.1	Benzene	8/1/2019	7/31/2020	Certified
EPA 624.1	Bromodichloromethane	8/1/2019	7/31/2020	Certified
EPA 624.1	Bromoform	8/1/2019	7/31/2020	Certified
EPA 624.1	Carbon tetrachloride	8/1/2019	7/31/2020	Certified
EPA 624.1	Chlorobenzene	8/1/2019	7/31/2020	Certified
EPA 624.1	Chlorodibromomethane (Dibromochloromethane)	8/1/2019	7/31/2020	Certified
EPA 624.1	Chloroethane (Ethyl chloride)	8/1/2019	7/31/2020	Certified
EPA 624.1	Chloroform	8/1/2019	7/31/2020	Certified
EPA 624.1	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified
EPA 624.1	Ethylbenzene	8/1/2019	7/31/2020	Certified
EPA 624.1	Methyl bromide (Bromomethane)	8/1/2019	7/31/2020	Certified
EPA 624.1	Methyl chloride (Chloromethane)	8/1/2019	7/31/2020	Certified
EPA 624.1	Methylene chloride (Dichloromethane)	8/1/2019	7/31/2020	Certified
EPA 624.1	Tetrachloroethylene (Perchloroethylene)	2/3/2020	7/31/2020	Interim
EPA 624.1	Toluene	8/1/2019	7/31/2020	Certified
EPA 624.1	trans-1,2-Dichloroethylene	2/3/2020	7/31/2020	Interim
EPA 624.1	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 624.1	Trichloroethene (Trichloroethylene)	8/1/2019	7/31/2020	Certified
EPA 624.1	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2019	7/31/2020	Certified
EPA 624.1	Vinyl chloride	8/1/2019	7/31/2020	Certified
EPA 625.1	1,2,4-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 625.1	2,3,4,6-Tetrachlorophenol	8/1/2019	7/31/2020	Certified
EPA 625.1	2,4-Dinitrotoluene (2,4-DNT)	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Chloronaphthalene	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Methylaniline (o-Toluidine)	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Methylnaphthalene	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Nitroaniline	8/1/2019	7/31/2020	Certified
EPA 625.1	2-Nitrophenol	8/1/2019	7/31/2020	Certified
EPA 625.1	3,3'-Dichlorobenzidine	8/1/2019	7/31/2020	Certified
EPA 625.1	3-Nitroaniline	8/1/2019	7/31/2020	Certified
EPA 625.1	4-Bromophenyl phenyl ether	8/1/2019	7/31/2020	Certified
EPA 625.1	4-Chloro-3-methylphenol	8/1/2019	7/31/2020	Certified
EPA 625.1	4-Chloroaniline	8/1/2019	7/31/2020	Certified
EPA 625.1	4-Chlorophenyl phenylether	8/1/2019	7/31/2020	Certified
EPA 625.1	Acenaphthene	8/1/2019	7/31/2020	Certified
EPA 625.1	Acenaphthylene	8/1/2019	7/31/2020	Certified
EPA 625.1	Aniline	8/1/2019	7/31/2020	Certified
EPA 625.1	Anthracene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzidine	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzo(a)anthracene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzo(a)pyrene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzo(b)fluoranthene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzo(g,h,i)perylene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzo(k)fluoranthene	8/1/2019	7/31/2020	Certified
EPA 625.1	Benzyl alcohol	8/1/2019	7/31/2020	Certified
EPA 625.1	bis(2-Chloroethoxy)methane	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 625.1	bis(2-Chloroethyl) ether	8/1/2019	7/31/2020	Certified
EPA 625.1	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2019	7/31/2020	Certified
EPA 625.1	Butyl benzyl phthalate	8/1/2019	7/31/2020	Certified
EPA 625.1	Carbazole	8/1/2019	7/31/2020	Certified
EPA 625.1	Chrysene	8/1/2019	7/31/2020	Certified
EPA 625.1	Dibenz(a,h) anthracene	8/1/2019	7/31/2020	Certified
EPA 625.1	Dibenzofuran	8/1/2019	7/31/2020	Certified
EPA 625.1	Diethyl phthalate	8/1/2019	7/31/2020	Certified
EPA 625.1	Dimethyl phthalate	8/1/2019	7/31/2020	Certified
EPA 625.1	Di-n-butyl phthalate	8/1/2019	7/31/2020	Certified
EPA 625.1	Di-n-octyl phthalate	8/1/2019	7/31/2020	Certified
EPA 625.1	Fluoranthene	8/1/2019	7/31/2020	Certified
EPA 625.1	Fluorene	8/1/2019	7/31/2020	Certified
EPA 625.1	Hexachlorobenzene	8/1/2019	7/31/2020	Certified
EPA 625.1	Hexachlorobutadiene	8/1/2019	7/31/2020	Certified
EPA 625.1	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 625.1	Hexachloroethane	8/1/2019	7/31/2020	Certified
EPA 625.1	Indeno(1,2,3-cd) pyrene	8/1/2019	7/31/2020	Certified
EPA 625.1	Isophorone	8/1/2019	7/31/2020	Certified
EPA 625.1	Naphthalene	8/1/2019	7/31/2020	Certified
EPA 625.1	Nitrobenzene	8/1/2019	7/31/2020	Certified
EPA 625.1	n-Nitrosodiethylamine	8/1/2019	7/31/2020	Certified
EPA 625.1	n-Nitrosodimethylamine	8/1/2019	7/31/2020	Certified
EPA 625.1	n-Nitrosodi-n-propylamine	8/1/2019	7/31/2020	Certified
EPA 625.1	n-Nitrosodiphenylamine	8/1/2019	7/31/2020	Certified
EPA 625.1	Phenanthrene	8/1/2019	7/31/2020	Certified
EPA 625.1	Pyrene	8/1/2019	7/31/2020	Certified
EPA 625.1	Pyridine	8/1/2019	7/31/2020	Certified
Organic Nitrogen by Calculation (TKN - NH3)	Organic nitrogen	8/1/2019	7/31/2020	Certified
SM 2120 B	Color	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 2130 B	Turbidity	8/1/2019	7/31/2020	Certified
SM 2310 B	Acidity, as CaCO <sub>3</sub>	11/8/2019	7/31/2020	Interim
SM 2320 B	Alkalinity as CaCO <sub>3</sub>	8/1/2019	7/31/2020	Certified
SM 2340 B	Hardness by calculation	8/1/2019	7/31/2020	Certified
SM 2510 B	Conductivity	8/1/2019	7/31/2020	Certified
SM 2540 B	Residue-total, dissolved and suspended	11/8/2019	7/31/2020	Interim
SM 2540 C	Residue-filterable (TDS)	8/1/2019	7/31/2020	Certified
SM 2540 D	Residue-nonfilterable (TSS)	11/8/2019	7/31/2020	Interim
SM 2550 B	Temperature, deg. C	8/1/2019	7/31/2020	Certified
SM 3500-Cr B	Chromium VI	8/1/2019	7/31/2020	Certified
SM 4500-Cl G	Free chlorine	8/1/2019	7/31/2020	Certified
SM 4500-Cl G	Total Chlorine (residual)	11/8/2019	7/31/2020	Interim
SM 4500-CN <sup>-</sup> C,E	Cyanide, Total	8/1/2019	7/31/2020	Certified
SM 4500-H+ B	pH	8/1/2019	7/31/2020	Certified
SM 4500-NH <sub>3</sub> D - 2011	Ammonia as N	8/1/2019	7/31/2020	Certified
SM 4500-Norg B + SM 4500-NH <sub>3</sub> B	Kjeldahl nitrogen - total	8/1/2019	7/31/2020	Certified
SM 4500-O G	Oxygen, dissolved	8/1/2019	7/31/2020	Certified
SM 4500-P E	Orthophosphate as P	8/1/2019	7/31/2020	Certified
SM 4500-SiO <sub>2</sub> F	Silica as SiO <sub>2</sub>	8/1/2019	7/31/2020	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2019	7/31/2020	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2019	7/31/2020	Certified
SM 5220 D	Chemical oxygen demand	8/1/2019	7/31/2020	Certified
SM 5310 B	Dissolved Organic Carbon (DOC)	8/1/2019	7/31/2020	Certified
SM 5310 B	Total Organic Carbon	8/1/2019	7/31/2020	Certified
SM 5540 C	Surfactants - MBAS	11/8/2019	7/31/2020	Interim
Total Nitrogen by Calc (NO <sub>2</sub> + NO <sub>3</sub> + TKN)	Total Nitrogen	8/1/2019	7/31/2020	Certified

**Discipline: Microbiology**

IDEXX Enterolert®	Enterococci	11/8/2019	7/31/2020	Interim
IDEXX Quanti-Tray® using Colilert®-18Hr®	E. coli enumeration	11/25/2019	7/31/2020	Interim
IDEXX Quanti-Tray® using Colilert®-18Hr®	Fecal coliforms	11/25/2019	7/31/2020	Interim

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation

EPA Number: **NV00930**


Attachment to Certificate Number: **NV009302020-3**

Expiration Date: **7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
IDEXX SimPlate®	Heterotrophic plate count	8/1/2019	7/31/2020	Certified
SM 9222 B (M-Endo)	Total Coliform Enumeration	8/1/2019	7/31/2020	Certified
SM 9222 D (m-FC)	Fecal coliforms	8/1/2019	7/31/2020	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources  
 Division of Environmental Protection  
 Laboratory Scope of Accreditation

EPA Number: **NV00930**


Attachment to Certificate Number: **NV009302020-3**

Expiration Date: **7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
 3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **Mining (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2019	7/31/2020	Certified
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2019	7/31/2020	Certified



**Disclaimer:** A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.



**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6010	Antimony	8/1/2019	7/31/2020	Certified
EPA 6010	Barium	8/1/2019	7/31/2020	Certified
EPA 6010	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6010	Boron	8/1/2019	7/31/2020	Certified
EPA 6010	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6010	Calcium	8/1/2019	7/31/2020	Certified
EPA 6010	Chromium	8/1/2019	7/31/2020	Certified
EPA 6010	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6010	Copper	8/1/2019	7/31/2020	Certified
EPA 6010	Iron	8/1/2019	7/31/2020	Certified
EPA 6010	Lead	8/1/2019	7/31/2020	Certified
EPA 6010	Magnesium	8/1/2019	7/31/2020	Certified
EPA 6010	Manganese	8/1/2019	7/31/2020	Certified
EPA 6010	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6010	Nickel	8/1/2019	7/31/2020	Certified
EPA 6010	Potassium	8/1/2019	7/31/2020	Certified
EPA 6010	Selenium	8/1/2019	7/31/2020	Certified
EPA 6010	Silver	8/1/2019	7/31/2020	Certified
EPA 6010	Sodium	8/1/2019	7/31/2020	Certified
EPA 6010	Strontium	8/1/2019	7/31/2020	Certified
EPA 6010	Thallium	8/1/2019	7/31/2020	Certified
EPA 6010	Titanium	8/1/2019	7/31/2020	Certified
EPA 6010	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6010	Zinc	8/1/2019	7/31/2020	Certified
EPA 7196	Chromium VI	8/1/2019	7/31/2020	Certified
EPA 7470	Mercury	8/1/2019	7/31/2020	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2019	7/31/2020	Certified
EPA 8015	Gasoline range organics (GRO)	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	1,3-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	2,2-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2019	7/31/2020	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2019	7/31/2020	Certified
EPA 8260	2-Chlorotoluene	8/1/2019	7/31/2020	Certified
EPA 8260	2-Hexanone	8/1/2019	7/31/2020	Certified
EPA 8260	Acrylonitrile	8/1/2019	7/31/2020	Certified
EPA 8260	Benzene	8/1/2019	7/31/2020	Certified
EPA 8260	Bromochloromethane	8/1/2019	7/31/2020	Certified
EPA 8260	Bromodichloromethane	8/1/2019	7/31/2020	Certified
EPA 8260	Bromoform	8/1/2019	7/31/2020	Certified
EPA 8260	Carbon disulfide	8/1/2019	7/31/2020	Certified
EPA 8260	Carbon tetrachloride	8/1/2019	7/31/2020	Certified
EPA 8260	Chlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2019	7/31/2020	Certified
EPA 8260	Chloroform	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	cis-1,2-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified
EPA 8260	cis-1,4-Dichloro-2-butene	8/1/2019	7/31/2020	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2019	7/31/2020	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2019	7/31/2020	Certified
EPA 8260	Ethylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Gasoline range organics (GRO)	8/1/2019	7/31/2020	Certified
EPA 8260	Hexachlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Hexachlorobutadiene	8/1/2019	7/31/2020	Certified
EPA 8260	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 8260	Hexachloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	Isopropylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	m+p-xylene	8/1/2019	7/31/2020	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2019	7/31/2020	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Naphthalene	8/1/2019	7/31/2020	Certified
EPA 8260	n-Butyl alcohol (1-Butanol, n-Butanol)	8/1/2019	7/31/2020	Certified
EPA 8260	n-Butylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	n-Propylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	o-Xylene	8/1/2019	7/31/2020	Certified
EPA 8260	Styrene	8/1/2019	7/31/2020	Certified
EPA 8260	tert-Butylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Toluene	8/1/2019	7/31/2020	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2019	7/31/2020	Certified
EPA 8260	Vinyl chloride	8/1/2019	7/31/2020	Certified
EPA 8260	Xylene (total)	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	1,2,4-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8270	1,2-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8270	1,3-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8270	1,4-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8270	1-Methylnaphthalene	8/1/2019	7/31/2020	Certified
EPA 8270	2,3,4,6-Tetrachlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	2,4,5-Trichlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	2,4,6-Trichlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	2,4-Dichlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	2,4-Dimethylphenol	8/1/2019	7/31/2020	Certified
EPA 8270	2,4-Dinitrotoluene (2,4-DNT)	8/1/2019	7/31/2020	Certified
EPA 8270	2,6-Dinitrotoluene (2,6-DNT)	8/1/2019	7/31/2020	Certified
EPA 8270	2-Chloronaphthalene	8/1/2019	7/31/2020	Certified
EPA 8270	2-Chlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	8/1/2019	7/31/2020	Certified
EPA 8270	2-Methylnaphthalene	8/1/2019	7/31/2020	Certified
EPA 8270	2-Methylphenol (o-Cresol)	8/1/2019	7/31/2020	Certified
EPA 8270	2-Nitroaniline	8/1/2019	7/31/2020	Certified
EPA 8270	2-Nitrophenol	8/1/2019	7/31/2020	Certified
EPA 8270	3 & 4-Methylphenol (m & p-Cresol)	8/1/2019	7/31/2020	Certified
EPA 8270	3,3'-Dichlorobenzidine	8/1/2019	7/31/2020	Certified
EPA 8270	3-Nitroaniline	8/1/2019	7/31/2020	Certified
EPA 8270	4-Bromophenyl phenyl ether	8/1/2019	7/31/2020	Certified
EPA 8270	4-Chloro-3-methylphenol	8/1/2019	7/31/2020	Certified
EPA 8270	4-Chloroaniline	8/1/2019	7/31/2020	Certified
EPA 8270	4-Chlorophenyl phenylether	8/1/2019	7/31/2020	Certified
EPA 8270	4-Nitrophenol	8/1/2019	7/31/2020	Certified
EPA 8270	Acenaphthene	8/1/2019	7/31/2020	Certified
EPA 8270	Acenaphthylene	8/1/2019	7/31/2020	Certified
EPA 8270	Aniline	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	Anthracene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzidine	8/1/2019	7/31/2020	Certified
EPA 8270	Benzo(a)anthracene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzo(a)pyrene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzo(b)fluoranthene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzo(g,h,i)perylene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzo(k)fluoranthene	8/1/2019	7/31/2020	Certified
EPA 8270	Benzyl alcohol	8/1/2019	7/31/2020	Certified
EPA 8270	bis(2-Chloroethoxy)methane	8/1/2019	7/31/2020	Certified
EPA 8270	bis(2-Chloroethyl) ether	8/1/2019	7/31/2020	Certified
EPA 8270	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2019	7/31/2020	Certified
EPA 8270	Butyl benzyl phthalate	8/1/2019	7/31/2020	Certified
EPA 8270	Carbazole	8/1/2019	7/31/2020	Certified
EPA 8270	Chrysene	8/1/2019	7/31/2020	Certified
EPA 8270	Dibenz(a,h) anthracene	8/1/2019	7/31/2020	Certified
EPA 8270	Dibenzofuran	8/1/2019	7/31/2020	Certified
EPA 8270	Diethyl phthalate	8/1/2019	7/31/2020	Certified
EPA 8270	Dimethyl phthalate	8/1/2019	7/31/2020	Certified
EPA 8270	Di-n-butyl phthalate	8/1/2019	7/31/2020	Certified
EPA 8270	Di-n-octyl phthalate	8/1/2019	7/31/2020	Certified
EPA 8270	Fluoranthene	8/1/2019	7/31/2020	Certified
EPA 8270	Fluorene	8/1/2019	7/31/2020	Certified
EPA 8270	Hexachlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8270	Hexachlorobutadiene	8/1/2019	7/31/2020	Certified
EPA 8270	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 8270	Hexachloroethane	8/1/2019	7/31/2020	Certified
EPA 8270	Indeno(1,2,3-cd) pyrene	8/1/2019	7/31/2020	Certified
EPA 8270	Isophorone	8/1/2019	7/31/2020	Certified
EPA 8270	Naphthalene	8/1/2019	7/31/2020	Certified
EPA 8270	Nitrobenzene	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**


**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8270	n-Nitrosodiethylamine	8/1/2019	7/31/2020	Certified
EPA 8270	n-Nitrosodimethylamine	8/1/2019	7/31/2020	Certified
EPA 8270	n-Nitrosodi-n-propylamine	8/1/2019	7/31/2020	Certified
EPA 8270	n-Nitrosodiphenylamine	8/1/2019	7/31/2020	Certified
EPA 8270	Pentachlorophenol	8/1/2019	7/31/2020	Certified
EPA 8270	Phenanthrene	8/1/2019	7/31/2020	Certified
EPA 8270	Phenol	8/1/2019	7/31/2020	Certified
EPA 8270	Pyrene	8/1/2019	7/31/2020	Certified
EPA 8270	Pyridine	8/1/2019	7/31/2020	Certified



**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2019	7/31/2020	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2019	7/31/2020	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/1/2019	7/31/2020	Certified
EPA 1320	Multiple Extraction Procedure	8/1/2019	7/31/2020	Certified
EPA 6010	Aluminum	8/1/2019	7/31/2020	Certified
EPA 6010	Antimony	8/1/2019	7/31/2020	Certified
EPA 6010	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6010	Barium	8/1/2019	7/31/2020	Certified
EPA 6010	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6010	Boron	8/1/2019	7/31/2020	Certified
EPA 6010	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6010	Calcium	8/1/2019	7/31/2020	Certified
EPA 6010	Chromium	8/1/2019	7/31/2020	Certified
EPA 6010	Cobalt	8/1/2019	7/31/2020	Certified
EPA 6010	Copper	8/1/2019	7/31/2020	Certified
EPA 6010	Iron	8/1/2019	7/31/2020	Certified
EPA 6010	Lead	8/1/2019	7/31/2020	Certified
EPA 6010	Lithium	8/1/2019	7/31/2020	Certified
EPA 6010	Magnesium	8/1/2019	7/31/2020	Certified
EPA 6010	Manganese	8/1/2019	7/31/2020	Certified
EPA 6010	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6010	Nickel	8/1/2019	7/31/2020	Certified
EPA 6010	Potassium	8/1/2019	7/31/2020	Certified
EPA 6010	Selenium	8/1/2019	7/31/2020	Certified
EPA 6010	Silica as SiO <sub>2</sub>	8/1/2019	7/31/2020	Certified
EPA 6010	Silver	8/1/2019	7/31/2020	Certified
EPA 6010	Strontium	8/1/2019	7/31/2020	Certified
EPA 6010	Thallium	8/1/2019	7/31/2020	Certified
EPA 6010	Titanium	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6010	Zinc	8/1/2019	7/31/2020	Certified
EPA 6020	Antimony	8/1/2019	7/31/2020	Certified
EPA 6020	Arsenic	8/1/2019	7/31/2020	Certified
EPA 6020	Barium	8/1/2019	7/31/2020	Certified
EPA 6020	Beryllium	8/1/2019	7/31/2020	Certified
EPA 6020	Cadmium	8/1/2019	7/31/2020	Certified
EPA 6020	Chromium	8/1/2019	7/31/2020	Certified
EPA 6020	Copper	8/1/2019	7/31/2020	Certified
EPA 6020	Lead	8/1/2019	7/31/2020	Certified
EPA 6020	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 6020	Nickel	8/1/2019	7/31/2020	Certified
EPA 6020	Selenium	8/1/2019	7/31/2020	Certified
EPA 6020	Silver	8/1/2019	7/31/2020	Certified
EPA 6020	Thallium	8/1/2019	7/31/2020	Certified
EPA 6020	Vanadium	8/1/2019	7/31/2020	Certified
EPA 6020	Zinc	8/1/2019	7/31/2020	Certified
EPA 7471	Mercury	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,1-Dichloroethane	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,2-Dichloropropane	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**



**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,3,5-Trimethylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	1,3-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	2,2-Dichloropropane	8/1/2019	7/31/2020	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2019	7/31/2020	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2019	7/31/2020	Certified
EPA 8260	2-Chlorotoluene	8/1/2019	7/31/2020	Certified
EPA 8260	2-Hexanone	8/1/2019	7/31/2020	Certified
EPA 8260	4-Chlorotoluene	8/1/2019	7/31/2020	Certified
EPA 8260	4-Isopropyltoluene (p-Cymene)	8/1/2019	7/31/2020	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2019	7/31/2020	Certified
EPA 8260	Acetone	8/1/2019	7/31/2020	Certified
EPA 8260	Acrolein (Propenal)	8/1/2019	7/31/2020	Certified
EPA 8260	Acrylonitrile	8/1/2019	7/31/2020	Certified
EPA 8260	Benzene	8/1/2019	7/31/2020	Certified
EPA 8260	Bromobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Bromochloromethane	8/1/2019	7/31/2020	Certified
EPA 8260	Bromodichloromethane	8/1/2019	7/31/2020	Certified
EPA 8260	Bromoform	8/1/2019	7/31/2020	Certified
EPA 8260	Carbon disulfide	8/1/2019	7/31/2020	Certified
EPA 8260	Chlorobenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2019	7/31/2020	Certified
EPA 8260	Chloroform	8/1/2019	7/31/2020	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2019	7/31/2020	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2019	7/31/2020	Certified
EPA 8260	Ethylbenzene	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Hexachlorobutadiene	8/1/2019	7/31/2020	Certified
EPA 8260	Hexachlorocyclopentadiene	8/1/2019	7/31/2020	Certified
EPA 8260	Isopropylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	m+p-xylene	8/1/2019	7/31/2020	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2019	7/31/2020	Certified
EPA 8260	Naphthalene	8/1/2019	7/31/2020	Certified
EPA 8260	n-Butyl alcohol (1-Butanol, n-Butanol)	8/1/2019	7/31/2020	Certified
EPA 8260	n-Butylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	n-Propylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	o-Xylene	8/1/2019	7/31/2020	Certified
EPA 8260	sec-Butylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Styrene	8/1/2019	7/31/2020	Certified
EPA 8260	tert-Butylbenzene	8/1/2019	7/31/2020	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Toluene	8/1/2019	7/31/2020	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2019	7/31/2020	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2019	7/31/2020	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2019	7/31/2020	Certified
EPA 8260	Vinyl chloride	8/1/2019	7/31/2020	Certified
EPA 8260	Xylene (total)	8/1/2019	7/31/2020	Certified
EPA 9040C	Corrosivity (pH)	11/22/2019	7/31/2020	Interim
EPA 9041A	Corrosivity (pH)	11/22/2019	7/31/2020	Interim
EPA 9045	Corrosivity (pH)	11/22/2019	7/31/2020	Interim
EPA 9056	Chloride	8/1/2019	7/31/2020	Certified
EPA 9056	Fluoride	8/1/2019	7/31/2020	Certified
EPA 9056	Nitrate as N	8/1/2019	7/31/2020	Certified
EPA 9056	Nitrite as N	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation

EPA Number: **NV00930**


Attachment to Certificate Number: **NV009302020-3**

Expiration Date: **7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
EPA 9056	Sulfate	8/1/2019	7/31/2020	Certified
EPA 9081	Cation exchange capacity	8/1/2019	7/31/2020	Certified
EPA 9095B	Paint Filter Liquids Test	8/1/2019	7/31/2020	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	11/18/2019	7/31/2020	Interim
EPA 200.7	Barium	11/18/2019	7/31/2020	Interim
EPA 200.7	Beryllium	11/18/2019	7/31/2020	Interim
EPA 200.7	Boron	8/1/2019	7/31/2020	Certified
EPA 200.7	Cadmium	11/18/2019	7/31/2020	Interim
EPA 200.7	Calcium	8/1/2019	7/31/2020	Certified
EPA 200.7	Chromium	11/18/2019	7/31/2020	Interim
EPA 200.7	Copper	11/18/2019	7/31/2020	Interim
EPA 200.7	Iron	8/1/2019	7/31/2020	Certified
EPA 200.7	Magnesium	8/1/2019	7/31/2020	Certified
EPA 200.7	Manganese	11/18/2019	7/31/2020	Interim
EPA 200.7	Nickel	11/18/2019	7/31/2020	Interim
EPA 200.7	Potassium	8/1/2019	7/31/2020	Certified
EPA 200.7	Silver	11/18/2019	7/31/2020	Interim
EPA 200.7	Sodium	8/1/2019	7/31/2020	Certified
EPA 200.7	Zinc	11/18/2019	7/31/2020	Interim
EPA 200.8	Aluminum	8/1/2019	7/31/2020	Certified
EPA 200.8	Antimony	8/1/2019	7/31/2020	Certified
EPA 200.8	Arsenic	8/1/2019	7/31/2020	Certified
EPA 200.8	Barium	8/1/2019	7/31/2020	Certified
EPA 200.8	Beryllium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cadmium	8/1/2019	7/31/2020	Certified
EPA 200.8	Chromium	8/1/2019	7/31/2020	Certified
EPA 200.8	Cobalt	8/1/2019	7/31/2020	Certified
EPA 200.8	Copper	8/1/2019	7/31/2020	Certified
EPA 200.8	Lead	8/1/2019	7/31/2020	Certified
EPA 200.8	Manganese	8/1/2019	7/31/2020	Certified
EPA 200.8	Molybdenum	8/1/2019	7/31/2020	Certified
EPA 200.8	Nickel	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Selenium	8/1/2019	7/31/2020	Certified
EPA 200.8	Silver	8/1/2019	7/31/2020	Certified
EPA 200.8	Strontium	8/1/2019	7/31/2020	Certified
EPA 200.8	Thallium	8/1/2019	7/31/2020	Certified
EPA 200.8	Uranium (Nat.) Total Mass	11/8/2019	7/31/2020	Interim
EPA 200.8	Vanadium	8/1/2019	7/31/2020	Certified
EPA 200.8	Zinc	8/1/2019	7/31/2020	Certified
EPA 218.7	Chromium VI	8/1/2019	7/31/2020	Certified
EPA 245.1	Mercury	8/1/2019	7/31/2020	Certified
EPA 245.2	Mercury	8/1/2019	7/31/2020	Certified
EPA 300.0	Chloride	11/8/2019	7/31/2020	Interim
EPA 300.0	Fluoride	8/1/2019	7/31/2020	Certified
EPA 300.0	Nitrate as N	11/8/2019	7/31/2020	Interim
EPA 300.0	Nitrite as N	8/1/2019	7/31/2020	Certified
EPA 300.0	Sulfate	8/1/2019	7/31/2020	Certified
EPA 300.1	Bromate	8/1/2019	7/31/2020	Certified
EPA 300.1	Chlorate	11/8/2019	7/31/2020	Interim
EPA 300.1	Chlorite	8/1/2019	7/31/2020	Certified
EPA 314.0	Perchlorate	8/1/2019	7/31/2020	Certified
EPA 524.2	1,1,1-Trichloroethane	12/19/2019	7/31/2020	Interim
EPA 524.2	1,1,2-Trichloroethane	12/19/2019	7/31/2020	Interim
EPA 524.2	1,1-Dichloroethylene	1/16/2020	7/31/2020	Interim
EPA 524.2	1,2,4-Trichlorobenzene	12/19/2019	7/31/2020	Interim
EPA 524.2	1,2-Dichlorobenzene	12/19/2019	7/31/2020	Interim
EPA 524.2	1,2-Dichloroethane	12/19/2019	7/31/2020	Interim
EPA 524.2	1,2-Dichloropropane	12/19/2019	7/31/2020	Interim
EPA 524.2	1,4-Dichlorobenzene	12/19/2019	7/31/2020	Interim
EPA 524.2	Benzene	1/16/2020	7/31/2020	Interim
EPA 524.2	Bromodichloromethane	12/19/2019	7/31/2020	Interim
EPA 524.2	Bromoform	12/19/2019	7/31/2020	Interim

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	Carbon tetrachloride	12/19/2019	7/31/2020	Interim
EPA 524.2	Chlorobenzene	12/19/2019	7/31/2020	Interim
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	12/19/2019	7/31/2020	Interim
EPA 524.2	Chloroform	12/19/2019	7/31/2020	Interim
EPA 524.2	cis-1,2-Dichloroethylene	12/19/2019	7/31/2020	Interim
EPA 524.2	Ethylbenzene	1/16/2020	7/31/2020	Interim
EPA 524.2	Methylene chloride (Dichloromethane)	1/16/2020	7/31/2020	Interim
EPA 524.2	Styrene	2/10/2020	7/31/2020	Interim
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	1/16/2020	7/31/2020	Interim
EPA 524.2	Toluene	1/16/2020	7/31/2020	Interim
EPA 524.2	Total trihalomethanes	12/19/2019	7/31/2020	Interim
EPA 524.2	trans-1,2-Dichloroethylene	1/16/2020	7/31/2020	Interim
EPA 524.2	Trichloroethene (Trichloroethylene)	12/19/2019	7/31/2020	Interim
EPA 524.2	Vinyl chloride	12/19/2019	7/31/2020	Interim
EPA 524.2	Xylene (total)	12/19/2019	7/31/2020	Interim
EPA 552.3	Bromoacetic acid (Monobromoacetic acid, MBAA)	1/16/2020	7/31/2020	Interim
EPA 552.3	Chloroacetic acid (Monochloroacetic acid, MCAA)	1/16/2020	7/31/2020	Interim
EPA 552.3	Dibromoacetic acid (DBAA)	1/16/2020	7/31/2020	Interim
EPA 552.3	Dichloroacetic acid (DCAA)	1/16/2020	7/31/2020	Interim
EPA 552.3	Trichloroacetic acid (TCAA)	2/10/2020	7/31/2020	Interim
SM 2120 B	Color	8/1/2019	7/31/2020	Certified
SM 2130 B	Turbidity	8/1/2019	7/31/2020	Certified
SM 2150 B	Odor	8/1/2019	7/31/2020	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2019	7/31/2020	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2019	7/31/2020	Certified
SM 2340 B	Hardness by calculation	8/1/2019	7/31/2020	Certified
SM 2510 B	Conductivity	8/1/2019	7/31/2020	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2019	7/31/2020	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2019	7/31/2020	Certified
SM 2550 B	Temperature, deg. C	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**

**State of Nevada Department of Conservation and Natural Resources  
Division of Environmental Protection  
Laboratory Scope of Accreditation**

**EPA Number: NV00930**

**Attachment to Certificate Number: NV009302020-3**

**Expiration Date: 7/31/2020**

Silver State Analytical Laboratories - Las Vegas  
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

**Matrix: SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 4500-Cl G	Free chlorine (residual)	8/1/2019	7/31/2020	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2019	7/31/2020	Certified
SM 4500-CN <sup>-</sup> C	Cyanide	8/1/2019	7/31/2020	Certified
SM 4500-H+ B	pH	11/8/2019	7/31/2020	Interim
SM 4500-NO <sub>2</sub> <sup>-</sup> B	Nitrite as N	11/8/2019	7/31/2020	Interim
SM 5540 C	Surfactants - MBAS	11/8/2019	7/31/2020	Interim

**Discipline: Microbiology**

IDEXX Colilert®-18	Escherichia coli	8/1/2019	7/31/2020	Certified
IDEXX Colilert®-18	Total coliforms	8/1/2019	7/31/2020	Certified
IDEXX SimPlate® under SWTR	Heterotrophic plate count	8/1/2019	7/31/2020	Certified
SM 9222 B (M-Endo)	Total coliforms	11/18/2019	7/31/2020	Interim
SM 9222 D (m-FC) under SWTR	Fecal coliforms	9/11/2019	7/31/2020	Interim
SM 9223 B	Escherichia coli	8/1/2019	7/31/2020	Certified
SM 9223 B	Total coliforms	8/1/2019	7/31/2020	Certified

**Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.**