

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1664B	n-Hexane Extractable Material (O&G)	8/1/2021	7/31/2022	Certified
EPA 1664B (SGT-HEM)	n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT)	8/1/2021	7/31/2022	Certified
EPA 200.2	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 200.7	Aluminum	8/1/2021	7/31/2022	Certified
EPA 200.7	Bismuth	8/1/2021	7/31/2022	Certified
EPA 200.7	Boron	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2021	7/31/2022	Certified
EPA 200.7	Gallium	8/1/2021	7/31/2022	Certified
EPA 200.7	Hardness by calculation	8/1/2021	7/31/2022	Certified
EPA 200.7	Iron	8/1/2021	7/31/2022	Certified
EPA 200.7	Lithium	8/1/2021	7/31/2022	Certified
EPA 200.7	Magnesium	8/1/2021	7/31/2022	Certified
EPA 200.7	Potassium	8/1/2021	7/31/2022	Certified
EPA 200.7	Scandium	8/1/2021	7/31/2022	Certified
EPA 200.7	Silica as SiO2	8/1/2021	7/31/2022	Certified
EPA 200.7	Sodium	8/1/2021	7/31/2022	Certified
EPA 200.7	Strontium	8/1/2021	7/31/2022	Certified
EPA 200.7	Tin	8/1/2021	7/31/2022	Certified
EPA 200.7	Titanium	8/1/2021	7/31/2022	Certified
EPA 200.8	Antimony	8/1/2021	7/31/2022	Certified
EPA 200.8	Arsenic	8/1/2021	7/31/2022	Certified
EPA 200.8	Barium	8/1/2021	7/31/2022	Certified
EPA 200.8	Beryllium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cadmium	8/1/2021	7/31/2022	Certified
EPA 200.8	Chromium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cobalt	8/1/2021	7/31/2022	Certified
EPA 200.8	Copper	8/1/2021	7/31/2022	Certified
EPA 200.8	Lead	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1

Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Manganese	8/1/2021	7/31/2022	Certified
EPA 200.8	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 200.8	Nickel	8/1/2021	7/31/2022	Certified
EPA 200.8	Selenium	8/1/2021	7/31/2022	Certified
EPA 200.8	Silver	8/1/2021	7/31/2022	Certified
EPA 200.8	Thallium	8/1/2021	7/31/2022	Certified
EPA 200.8	Uranium Total Mass	8/1/2021	7/31/2022	Certified
EPA 200.8	Vanadium	8/1/2021	7/31/2022	Certified
EPA 200.8	Zinc	8/1/2021	7/31/2022	Certified
EPA 245.1	Mercury	8/1/2021	7/31/2022	Certified
EPA 300.0	Bromide	8/1/2021	7/31/2022	Certified
EPA 300.0	Chloride	8/1/2021	7/31/2022	Certified
EPA 300.0	Fluoride	8/1/2021	7/31/2022	Certified
EPA 300.0	Nitrate as N	8/1/2021	7/31/2022	Certified
EPA 300.0	Nitrate-nitrite	8/1/2021	7/31/2022	Certified
EPA 300.0	Nitrite as N	8/1/2021	7/31/2022	Certified
EPA 300.0	Orthophosphate as P	8/1/2021	7/31/2022	Certified
EPA 300.0	Sulfate	8/1/2021	7/31/2022	Certified
EPA 314.0	Perchlorate	8/1/2021	7/31/2022	Certified
EPA 365.3	Orthophosphate as P	8/1/2021	7/31/2022	Certified
EPA 365.3	Phosphorus, total	8/1/2021	7/31/2022	Certified
HACH 8000	Chemical oxygen demand	8/1/2021	7/31/2022	Certified
Organic Nitrogen by Calculation (TKN - NH3)	Organic nitrogen	8/1/2021	7/31/2022	Certified
SM 2120 B	Color	8/1/2021	7/31/2022	Certified
SM 2130 B	Turbidity	8/1/2021	7/31/2022	Certified
SM 2310 B	Acidity, as CaCO3	8/1/2021	7/31/2022	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2021	7/31/2022	Certified
SM 2340 B	Calcium hardness as CaCO3	8/1/2021	7/31/2022	Certified
SM 2340 B	Hardness by calculation	8/1/2021	7/31/2022	Certified
SM 2510 B	Conductivity	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 2540 B	Residue-total, dissolved and suspended	8/1/2021	7/31/2022	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2021	7/31/2022	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2021	7/31/2022	Certified
SM 2540 E	Residue-volatile	8/1/2021	7/31/2022	Certified
SM 2540 F	Residue-settleable	8/1/2021	7/31/2022	Certified
SM 2550 B	Temperature, deg. C	8/1/2021	7/31/2022	Certified
SM 3500-Cr B	Chromium VI	8/1/2021	7/31/2022	Certified
SM 4500-Cl G	Free chlorine	8/1/2021	7/31/2022	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ C,E	Cyanide, Total	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ I,E	Cyanide, WAD	8/1/2021	7/31/2022	Certified
SM 4500-H+ B	pH	8/1/2021	7/31/2022	Certified
SM 4500-NH3 B	Ammonia as N	8/1/2021	7/31/2022	Certified
SM 4500-NH3 C - 2011	Ammonia as N	8/1/2021	7/31/2022	Certified
SM 4500-NH3 C-2011	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-NH3 D - 2011	Ammonia as N	8/1/2021	7/31/2022	Certified
SM 4500-NH3 D - 2011	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg B + SM 4500-NH3 B	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg B-2011	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg C + SM 4500-NH3 B	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg C-2011	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg D + SM 4500-NH3 B	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-Norg D-2011	Kjeldahl nitrogen - total	8/1/2021	7/31/2022	Certified
SM 4500-O C	Oxygen, dissolved	8/1/2021	7/31/2022	Certified
SM 4500-O G	Oxygen, dissolved	8/1/2021	7/31/2022	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2021	7/31/2022	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2021	7/31/2022	Certified
SM 5540 C	Surfactants - MBAS	8/1/2021	7/31/2022	Certified
Total Nitrogen by Calc (NO ₂ + NO ₃ + TKN)	Total Nitrogen	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Microbiology				
IDEXX Enterolert®	Enterococci	8/1/2021	7/31/2022	Certified
IDEXX Quanti-Tray® using Colilert®	E. coli enumeration	8/1/2021	7/31/2022	Certified
IDEXX Quanti-Tray® using Colilert®-18Hr®	E. coli enumeration	8/1/2021	7/31/2022	Certified
SM 9215 B (NWR1)	Heterotrophic plate count	8/1/2021	7/31/2022	Certified
SM 9221 B (LTB)	Total coliform with chlorine present	8/1/2021	7/31/2022	Certified
SM 9221 B (LTB) + C MPN	Total Coliform Enumeration	8/1/2021	7/31/2022	Certified
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms	8/1/2021	7/31/2022	Certified
SM 9221 B (LTB) + E (EC) + C MPN	Fecal coliforms with chlorine present	8/1/2021	7/31/2022	Certified
SM 9221 B (LTB) + F (EC MUG) + C MPN	E. coli enumeration	8/1/2021	7/31/2022	Certified
SM 9221 E (A1) + C MPN	Fecal coliforms	8/1/2021	7/31/2022	Certified
SM 9221 E (EC) + C MPN	Fecal coliforms	8/1/2021	7/31/2022	Certified
SM 9221 E (EC) + C MPN	Fecal coliforms with chlorine present	8/1/2021	7/31/2022	Certified
SM 9222 B (LES Endo)	Total Coliform Enumeration	8/1/2021	7/31/2022	Certified
SM 9222 B (LES Endo)	Total coliform with chlorine present	8/1/2021	7/31/2022	Certified
SM 9222 D (m-FC)	Fecal coliforms	8/1/2021	7/31/2022	Certified
SM 9222 D (m-FC)	Fecal coliforms with chlorine present	8/1/2021	7/31/2022	Certified
SM 9230 B	Fecal streptococci	8/1/2021	7/31/2022	Certified
SM 9230 D-2007	Enterococci	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00015**

Attachment to Certificate Number: **NV000152022-1**

Expiration Date: **7/31/2022**

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **Mining (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7 minus SM 3500-Fe B (4c)	Iron-(III) (Ferric Iron)	8/1/2021	7/31/2022	Certified
SM 2580 B-2011	Redox Potential (ORP)	8/1/2021	7/31/2022	Certified
SM 3500-Fe B 4 (c)	Iron-(II) (Ferrous Iron)	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **Mining (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM D7572-11	Cyanide Extraction Fluid from Soils and Mine Rock	8/1/2021	7/31/2022	Certified
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2021	7/31/2022	Nevada Approved
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2021	7/31/2022	Nevada Approved
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1

Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 6010	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6010	Bismuth	8/1/2021	7/31/2022	Certified
EPA 6010	Boron	8/1/2021	7/31/2022	Certified
EPA 6010	Calcium	8/1/2021	7/31/2022	Certified
EPA 6010	Iron	8/1/2021	7/31/2022	Certified
EPA 6010	Lithium	8/1/2021	7/31/2022	Certified
EPA 6010	Magnesium	8/1/2021	7/31/2022	Certified
EPA 6010	Potassium	8/1/2021	7/31/2022	Certified
EPA 6010	Silica as SiO ₂	8/1/2021	7/31/2022	Certified
EPA 6010	Sodium	8/1/2021	7/31/2022	Certified
EPA 6010	Strontium	8/1/2021	7/31/2022	Certified
EPA 6010	Tin	8/1/2021	7/31/2022	Certified
EPA 6010	Titanium	8/1/2021	7/31/2022	Certified
EPA 6020	Antimony	8/1/2021	7/31/2022	Certified
EPA 6020	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6020	Barium	8/1/2021	7/31/2022	Certified
EPA 6020	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6020	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6020	Chromium	8/1/2021	7/31/2022	Certified
EPA 6020	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6020	Copper	8/1/2021	7/31/2022	Certified
EPA 6020	Lead	8/1/2021	7/31/2022	Certified
EPA 6020	Manganese	8/1/2021	7/31/2022	Certified
EPA 6020	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6020	Nickel	8/1/2021	7/31/2022	Certified
EPA 6020	Selenium	8/1/2021	7/31/2022	Certified
EPA 6020	Silver	8/1/2021	7/31/2022	Certified
EPA 6020	Thallium	8/1/2021	7/31/2022	Certified
EPA 6020	Uranium Total Mass	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Vanadium	8/1/2021	7/31/2022	Certified
EPA 6020	Zinc	8/1/2021	7/31/2022	Certified
EPA 7196	Chromium VI	8/1/2021	7/31/2022	Certified
EPA 7470	Mercury	8/1/2021	7/31/2022	Certified
EPA 9014	Cyanide	8/1/2021	7/31/2022	Certified
EPA 9050A	Conductivity	8/1/2021	7/31/2022	Certified
EPA 9056	Bromide	8/1/2021	7/31/2022	Certified
EPA 9056	Chloride	8/1/2021	7/31/2022	Certified
EPA 9056	Fluoride	8/1/2021	7/31/2022	Certified
EPA 9056	Nitrate as N	8/1/2021	7/31/2022	Certified
EPA 9056	Nitrite as N	8/1/2021	7/31/2022	Certified
EPA 9056	Orthophosphate as P	8/1/2021	7/31/2022	Certified
EPA 9056	Sulfate	8/1/2021	7/31/2022	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2021	7/31/2022	Certified
SM 2550 B	Temperature, deg. C	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2021	7/31/2022	Certified
EPA 1030	Ignitability	8/1/2021	7/31/2022	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2021	7/31/2022	Certified
EPA 3050	Acid digest for metals	8/1/2021	7/31/2022	Certified
EPA 6010	Aluminum	8/1/2021	7/31/2022	Certified
EPA 6010	Boron	8/1/2021	7/31/2022	Certified
EPA 6010	Calcium	8/1/2021	7/31/2022	Certified
EPA 6010	Iron	8/1/2021	7/31/2022	Certified
EPA 6010	Lithium	8/1/2021	7/31/2022	Certified
EPA 6010	Magnesium	8/1/2021	7/31/2022	Certified
EPA 6010	Potassium	8/1/2021	7/31/2022	Certified
EPA 6010	Silica as SiO ₂	8/1/2021	7/31/2022	Certified
EPA 6010	Strontium	8/1/2021	7/31/2022	Certified
EPA 6010	Tin	8/1/2021	7/31/2022	Certified
EPA 6020	Antimony	8/1/2021	7/31/2022	Certified
EPA 6020	Arsenic	8/1/2021	7/31/2022	Certified
EPA 6020	Barium	8/1/2021	7/31/2022	Certified
EPA 6020	Beryllium	8/1/2021	7/31/2022	Certified
EPA 6020	Cadmium	8/1/2021	7/31/2022	Certified
EPA 6020	Chromium	8/1/2021	7/31/2022	Certified
EPA 6020	Cobalt	8/1/2021	7/31/2022	Certified
EPA 6020	Copper	8/1/2021	7/31/2022	Certified
EPA 6020	Lead	8/1/2021	7/31/2022	Certified
EPA 6020	Manganese	8/1/2021	7/31/2022	Certified
EPA 6020	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 6020	Nickel	8/1/2021	7/31/2022	Certified
EPA 6020	Selenium	8/1/2021	7/31/2022	Certified
EPA 6020	Silver	8/1/2021	7/31/2022	Certified
EPA 6020	Thallium	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6020	Uranium Total Mass	8/1/2021	7/31/2022	Certified
EPA 6020	Vanadium	8/1/2021	7/31/2022	Certified
EPA 7196	Chromium VI	8/1/2021	7/31/2022	Certified
EPA 7471	Mercury	8/1/2021	7/31/2022	Certified
EPA 9014	Cyanide	8/1/2021	7/31/2022	Certified
EPA 9040C	Corrosivity (pH)	8/1/2021	7/31/2022	Certified
EPA 9045	Corrosivity (pH)	8/1/2021	7/31/2022	Certified
EPA 9056	Bromide	8/1/2021	7/31/2022	Certified
EPA 9056	Chloride	8/1/2021	7/31/2022	Certified
EPA 9056	Fluoride	8/1/2021	7/31/2022	Certified
EPA 9056	Nitrate as N	8/1/2021	7/31/2022	Certified
EPA 9056	Nitrite as N	8/1/2021	7/31/2022	Certified
EPA 9056	Sulfate	8/1/2021	7/31/2022	Certified
EPA 9071B	n-Hexane Extractable Material (O&G)	8/1/2021	7/31/2022	Certified
EPA 9071B	Oil & Grease	8/1/2021	7/31/2022	Certified
EPA 9095B	Paint Filter Liquids Test	8/1/2021	7/31/2022	Certified
SM 2540 G	Residue - total, fixed and volatile	8/1/2021	7/31/2022	Certified
SM 2540 G	Solids, Fixed	8/1/2021	7/31/2022	Certified
SM 2540 G	Solids, Total	8/1/2021	7/31/2022	Certified
SM 2540 G	Solids, Volatiles	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2021	7/31/2022	Certified
EPA 200.7	Boron	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium	8/1/2021	7/31/2022	Certified
EPA 200.7	Calcium hardness as CaCO3	8/1/2021	7/31/2022	Certified
EPA 200.7	Hardness by calculation	8/1/2021	7/31/2022	Certified
EPA 200.7	Iron	8/1/2021	7/31/2022	Certified
EPA 200.7	Magnesium	8/1/2021	7/31/2022	Certified
EPA 200.7	Potassium	8/1/2021	7/31/2022	Certified
EPA 200.7	Silica as SiO2	8/1/2021	7/31/2022	Certified
EPA 200.7	Sodium	8/1/2021	7/31/2022	Certified
EPA 200.8	Antimony	8/1/2021	7/31/2022	Certified
EPA 200.8	Arsenic	8/1/2021	7/31/2022	Certified
EPA 200.8	Barium	8/1/2021	7/31/2022	Certified
EPA 200.8	Beryllium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cadmium	8/1/2021	7/31/2022	Certified
EPA 200.8	Chromium	8/1/2021	7/31/2022	Certified
EPA 200.8	Cobalt	8/1/2021	7/31/2022	Certified
EPA 200.8	Copper	8/1/2021	7/31/2022	Certified
EPA 200.8	Lead	8/1/2021	7/31/2022	Certified
EPA 200.8	Manganese	8/1/2021	7/31/2022	Certified
EPA 200.8	Molybdenum	8/1/2021	7/31/2022	Certified
EPA 200.8	Nickel	8/1/2021	7/31/2022	Certified
EPA 200.8	Selenium	8/1/2021	7/31/2022	Certified
EPA 200.8	Silver	8/1/2021	7/31/2022	Certified
EPA 200.8	Thallium	8/1/2021	7/31/2022	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2021	7/31/2022	Certified
EPA 200.8	Vanadium	8/1/2021	7/31/2022	Certified
EPA 200.8	Zinc	8/1/2021	7/31/2022	Certified
EPA 245.1	Mercury	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1


Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno

1135 Financial Blvd Reno, NV 89502-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 300.0	Bromide	8/1/2021	7/31/2022	Certified
EPA 300.0	Chloride	8/1/2021	7/31/2022	Certified
EPA 300.0	Fluoride	8/1/2021	7/31/2022	Certified
EPA 300.0	Nitrate as N	8/1/2021	7/31/2022	Certified
EPA 300.0	Nitrite as N	8/1/2021	7/31/2022	Certified
EPA 300.0	Sulfate	8/1/2021	7/31/2022	Certified
EPA 314.0	Perchlorate	8/1/2021	7/31/2022	Certified
SM 2120 B	Color	8/1/2021	7/31/2022	Certified
SM 2130 B	Turbidity	8/1/2021	7/31/2022	Certified
SM 2150 B	Odor	8/1/2021	7/31/2022	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2021	7/31/2022	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2021	7/31/2022	Certified
SM 2340 B	Calcium hardness as CaCO ₃	8/1/2021	7/31/2022	Certified
SM 2340 B	Hardness by calculation	8/1/2021	7/31/2022	Certified
SM 2510 B	Conductivity	8/1/2021	7/31/2022	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2021	7/31/2022	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2021	7/31/2022	Certified
SM 2550 B	Temperature, deg. C	8/1/2021	7/31/2022	Certified
SM 4500-Cl G	Free chlorine (residual)	8/1/2021	7/31/2022	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ C,E	Cyanide	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ E	Cyanide	8/1/2021	7/31/2022	Certified
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2021	7/31/2022	Certified
SM 4500-H+ B	pH	8/1/2021	7/31/2022	Certified
SM 5540 C	Surfactants - MBAS	8/1/2021	7/31/2022	Certified



Discipline: Microbiology

IDEXX Colilert®	Escherichia coli	8/1/2021	7/31/2022	Certified
IDEXX Colilert®	Total coliforms	8/1/2021	7/31/2022	Certified
IDEXX Colilert®-18	Escherichia coli	8/1/2021	7/31/2022	Certified
IDEXX Colilert®-18	Total coliforms	8/1/2021	7/31/2022	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00015

Attachment to Certificate Number: NV000152022-1

Expiration Date: 7/31/2022

Silver State Analytical Laboratories - Reno
1135 Financial Blvd Reno, NV 89502-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
IDEXX Quanti-Tray® under SWTR	E. coli enumeration	8/1/2021	7/31/2022	Certified
IDEXX Quanti-Tray® with Colilert® under SWTR	Total Coliform Enumeration	8/1/2021	7/31/2022	Certified
IDEXX Quanti-Tray® with Colilert®-18 under SWTR	E. coli enumeration	8/1/2021	7/31/2022	Certified
IDEXX Quanti-Tray® with Colilert®-18 under SWTR	Total Coliform Enumeration	8/1/2021	7/31/2022	Certified
SM 9215 B (PCA)	Heterotrophic plate count	8/1/2021	7/31/2022	Certified
SM 9222 B (LES Endo)	Total coliforms	8/1/2021	7/31/2022	Certified
SM 9222 D (m-FC) under SWTR	Fecal coliforms	8/1/2021	7/31/2022	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.