

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1664B	n-Hexane Extractable Material (O&G)	8/1/2022	7/31/2023	Certified
EPA 1664B (SGT-HEM)	n-Hexane Extractable Material - Silica Gel Treated (HEM-SGT)	8/1/2022	7/31/2023	Certified
EPA 200.7	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.7	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.7	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.7	Barium	8/1/2022	7/31/2023	Certified
EPA 200.7	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.7	Bismuth	8/1/2022	7/31/2023	Certified
EPA 200.7	Boron	8/1/2022	7/31/2023	Certified
EPA 200.7	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium hardness as CaCO ₃	8/1/2022	7/31/2023	Certified
EPA 200.7	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.7	Cobalt	8/1/2022	7/31/2023	Certified
EPA 200.7	Copper	8/1/2022	7/31/2023	Certified
EPA 200.7	Gallium	8/1/2022	7/31/2023	Certified
EPA 200.7	Hardness by calculation	8/1/2022	7/31/2023	Certified
EPA 200.7	Iron	8/1/2022	7/31/2023	Certified
EPA 200.7	Lead	8/1/2022	7/31/2023	Certified
EPA 200.7	Lithium	8/1/2022	7/31/2023	Certified
EPA 200.7	Magnesium	8/1/2022	7/31/2023	Certified
EPA 200.7	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.7	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.7	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.7	Potassium	8/1/2022	7/31/2023	Certified
EPA 200.7	Scandium	8/1/2022	7/31/2023	Certified
EPA 200.7	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.7	Silica as SiO ₂	8/1/2022	7/31/2023	Certified
EPA 200.7	Silver	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00930**

Attachment to Certificate Number: **NV009302023-2**

Expiration Date: **7/31/2023**

Silver State Analytical Laboratories - Las Vegas
 3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **CWA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.7	Sodium	8/1/2022	7/31/2023	Certified
EPA 200.7	Strontium	8/1/2022	7/31/2023	Certified
EPA 200.7	Thallium	8/1/2022	7/31/2023	Certified
EPA 200.7	Tin	8/1/2022	7/31/2023	Certified
EPA 200.7	Titanium	8/1/2022	7/31/2023	Certified
EPA 200.7	Zinc	8/1/2022	7/31/2023	Certified
EPA 200.8	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.8	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.8	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.8	Barium	8/1/2022	7/31/2023	Certified
EPA 200.8	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.8	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.8	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.8	Cobalt	8/1/2022	7/31/2023	Certified
EPA 200.8	Copper	8/1/2022	7/31/2023	Certified
EPA 200.8	Lead	8/1/2022	7/31/2023	Certified
EPA 200.8	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.8	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.8	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.8	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.8	Silver	8/1/2022	7/31/2023	Certified
EPA 200.8	Thallium	8/1/2022	7/31/2023	Certified
EPA 200.8	Thorium	8/1/2022	7/31/2023	Certified
EPA 200.8	Uranium Total Mass	8/1/2022	7/31/2023	Certified
EPA 200.8	Vanadium	8/1/2022	7/31/2023	Certified
EPA 200.8	Zinc	8/1/2022	7/31/2023	Certified
EPA 218.6	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 218.6	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 218.7	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 245.1	Mercury	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 300.0	Chloride	8/1/2022	7/31/2023	Certified
EPA 300.0	Fluoride	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrate as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrate-nitrite	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Sulfate	8/1/2022	7/31/2023	Certified
EPA 300.1	Bromide	8/1/2022	7/31/2023	Certified
EPA 300.1	Chlorate	8/1/2022	7/31/2023	Certified
EPA 314.0	Perchlorate	8/1/2022	7/31/2023	Certified
EPA 420.1	Total phenolics	8/1/2022	7/31/2023	Certified
EPA 624.1	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,1,2,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,1-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 624.1	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 624.1	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 624.1	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 624.1	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 624.1	2-Chloroethyl vinyl ether	8/1/2022	7/31/2023	Certified
EPA 624.1	Acrolein (Propenal)	8/1/2022	7/31/2023	Certified
EPA 624.1	Benzene	8/1/2022	7/31/2023	Certified
EPA 624.1	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 624.1	Bromoform	8/1/2022	7/31/2023	Certified
EPA 624.1	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 624.1	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 624.1	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 624.1	Chloroethane (Ethyl chloride)	8/1/2022	7/31/2023	Certified
EPA 624.1	Chloroform	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 624.1	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 624.1	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 624.1	Methyl bromide (Bromomethane)	8/1/2022	7/31/2023	Certified
EPA 624.1	Methyl chloride (Chloromethane)	8/1/2022	7/31/2023	Certified
EPA 624.1	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 624.1	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 624.1	Toluene	8/1/2022	7/31/2023	Certified
EPA 624.1	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 624.1	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 624.1	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 624.1	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2022	7/31/2023	Certified
EPA 624.1	Vinyl chloride	8/1/2022	7/31/2023	Certified
Organic Nitrogen by Calculation (TKN - NH3)	Organic nitrogen	8/1/2022	7/31/2023	Certified
SM 2120 B	Color	8/1/2022	7/31/2023	Certified
SM 2130 B	Turbidity	8/1/2022	7/31/2023	Certified
SM 2310 B	Acidity, as CaCO3	8/1/2022	7/31/2023	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2022	7/31/2023	Certified
SM 2340 B	Calcium hardness as CaCO3	8/1/2022	7/31/2023	Certified
SM 2340 B	Hardness by calculation	8/1/2022	7/31/2023	Certified
SM 2340 C	Total hardness as CaCO3	8/1/2022	7/31/2023	Certified
SM 2510 B	Conductivity	8/1/2022	7/31/2023	Certified
SM 2540 B	Residue-total, dissolved and suspended	8/1/2022	7/31/2023	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2022	7/31/2023	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2022	7/31/2023	Certified
SM 2540 E	Residue-volatile	8/1/2022	7/31/2023	Certified
SM 2540 F	Residue-settleable	8/1/2022	7/31/2023	Certified
SM 2550 B	Temperature, deg. C	8/1/2022	7/31/2023	Certified
SM 3500-Cr B	Chromium VI	8/1/2022	7/31/2023	Certified
SM 4500-Cl G	Free chlorine	8/1/2022	7/31/2023	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: CWA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
SM 4500-CN ⁻ C,E	Cyanide, Total	8/1/2022	7/31/2023	Certified
SM 4500-H+ B	pH	8/1/2022	7/31/2023	Certified
SM 4500-NH3 D - 2011	Ammonia as N	8/1/2022	7/31/2023	Certified
SM 4500-NO2 ⁻ B	Nitrite as N	8/1/2022	7/31/2023	Certified
SM 4500-Norg B + SM 4500-NH3 B	Kjeldahl nitrogen - total	8/1/2022	7/31/2023	Certified
SM 4500-O G	Oxygen, dissolved	8/1/2022	7/31/2023	Certified
SM 4500-P B Plus E-2011	Phosphorus, total	8/1/2022	7/31/2023	Certified
SM 4500-P E	Orthophosphate as P	8/1/2022	7/31/2023	Certified
SM 4500-S2 ⁻ F	Sulfide	8/1/2022	7/31/2023	Certified
SM 4500-SiO2 C	Silica as SiO2	8/1/2022	7/31/2023	Certified
SM 5210 B	Biochemical oxygen demand	8/1/2022	7/31/2023	Certified
SM 5210 B	Carbonaceous BOD, CBOD	8/1/2022	7/31/2023	Certified
SM 5220 D	Chemical oxygen demand	8/1/2022	7/31/2023	Certified
SM 5310 B	Dissolved Organic Carbon (DOC)	8/1/2022	7/31/2023	Certified
SM 5310 B	Total Organic Carbon	8/1/2022	7/31/2023	Certified
SM 5540 C	Surfactants - MBAS	8/1/2022	7/31/2023	Certified
Total Nitrogen by Calc (NO2 + NO3 + TKN)	Total Nitrogen	8/1/2022	7/31/2023	Certified

Discipline: Microbiology

IDEXX Enterolert®	Enterococci	8/1/2022	7/31/2023	Certified
IDEXX Quanti-Tray® using Colilert®-18Hr®	E. coli enumeration	8/1/2022	7/31/2023	Certified
IDEXX Quanti-Tray® using Colilert®-18Hr®	Fecal coliforms	8/1/2022	7/31/2023	Certified
IDEXX SimPlate®	Heterotrophic plate count	8/1/2022	7/31/2023	Certified
SM 9222 B (M-Endo)	Total Coliform Enumeration	8/1/2022	7/31/2023	Certified
SM 9222 D (m-FC)	Fecal coliforms	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00930**


Attachment to Certificate Number: **NV009302023-2**

Expiration Date: **7/31/2023**

Silver State Analytical Laboratories - Las Vegas
 3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **Mining (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
ASTM E2242-13	MWMP Fluid (WITHOUT bottle roll option)	8/1/2022	7/31/2023	Certified
ASTM E2242-13 Appendix X1.3	MWMP Fluid (FROM bottle roll option_Fine Grained Material)	8/1/2022	7/31/2023	Certified
EPA 600/2-78-054, section 3.2.2_NV Modified	Paste pH	8/1/2022	7/31/2023	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 300.1	Chlorate	8/1/2022	7/31/2023	Certified
EPA 6010	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6010	Antimony	8/1/2022	7/31/2023	Certified
EPA 6010	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6010	Barium	8/1/2022	7/31/2023	Certified
EPA 6010	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6010	Boron	8/1/2022	7/31/2023	Certified
EPA 6010	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6010	Calcium	8/1/2022	7/31/2023	Certified
EPA 6010	Chromium	8/1/2022	7/31/2023	Certified
EPA 6010	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6010	Copper	8/1/2022	7/31/2023	Certified
EPA 6010	Iron	8/1/2022	7/31/2023	Certified
EPA 6010	Lead	8/1/2022	7/31/2023	Certified
EPA 6010	Lithium	8/1/2022	7/31/2023	Certified
EPA 6010	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6010	Manganese	8/1/2022	7/31/2023	Certified
EPA 6010	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6010	Nickel	8/1/2022	7/31/2023	Certified
EPA 6010	Potassium	8/1/2022	7/31/2023	Certified
EPA 6010	Selenium	8/1/2022	7/31/2023	Certified
EPA 6010	Silica as SiO ₂	8/1/2022	7/31/2023	Certified
EPA 6010	Silver	8/1/2022	7/31/2023	Certified
EPA 6010	Sodium	8/1/2022	7/31/2023	Certified
EPA 6010	Strontium	8/1/2022	7/31/2023	Certified
EPA 6010	Thallium	8/1/2022	7/31/2023	Certified
EPA 6010	Tin	8/1/2022	7/31/2023	Certified
EPA 6010	Titanium	8/1/2022	7/31/2023	Certified
EPA 6010	Vanadium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Zinc	8/1/2022	7/31/2023	Certified
EPA 6020	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6020	Antimony	8/1/2022	7/31/2023	Certified
EPA 6020	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6020	Barium	8/1/2022	7/31/2023	Certified
EPA 6020	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6020	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6020	Chromium	8/1/2022	7/31/2023	Certified
EPA 6020	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6020	Copper	8/1/2022	7/31/2023	Certified
EPA 6020	Lead	8/1/2022	7/31/2023	Certified
EPA 6020	Manganese	8/1/2022	7/31/2023	Certified
EPA 6020	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6020	Nickel	8/1/2022	7/31/2023	Certified
EPA 6020	Selenium	8/1/2022	7/31/2023	Certified
EPA 6020	Silver	8/1/2022	7/31/2023	Certified
EPA 6020	Thallium	8/1/2022	7/31/2023	Certified
EPA 6020	Thorium	8/1/2022	7/31/2023	Certified
EPA 6020	Uranium Total Mass	8/1/2022	7/31/2023	Certified
EPA 6020	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6020	Zinc	8/1/2022	7/31/2023	Certified
EPA 7196	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 7199	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 7199	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 7470	Mercury	8/1/2022	7/31/2023	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,1-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloropropene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,3,5-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	2,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	2-Hexanone	8/1/2022	7/31/2023	Certified
EPA 8260	4-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	4-Isopropyltoluene (p-Cymene)	8/1/2022	7/31/2023	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2022	7/31/2023	Certified
EPA 8260	Acetone	8/1/2022	7/31/2023	Certified
EPA 8260	Acrolein (Propenal)	8/1/2022	7/31/2023	Certified
EPA 8260	Acrylonitrile	8/1/2022	7/31/2023	Certified
EPA 8260	Benzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromochloromethane	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Non Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromoform	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon disulfide	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroform	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2022	7/31/2023	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2022	7/31/2023	Certified
EPA 8260	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Gasoline range organics (GRO)	8/1/2022	7/31/2023	Certified
EPA 8260	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8260	Isopropylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	m+p-xylene	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2022	7/31/2023	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Propylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	o-Xylene	8/1/2022	7/31/2023	Certified
EPA 8260	sec-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Styrene	8/1/2022	7/31/2023	Certified
EPA 8260	tert-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Toluene	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00930**

Attachment to Certificate Number: **NV009302023-2**

Expiration Date: **7/31/2023**

Silver State Analytical Laboratories - Las Vegas
 3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **RCRA (Non Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 8260	Xylene (total)	8/1/2022	7/31/2023	Certified



Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **RCRA (Solid & Waste Materials)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 1010	Flashpoint	8/1/2022	7/31/2023	Certified
EPA 1311-Metals	TCLP extracted Metals	8/1/2022	7/31/2023	Certified
EPA 1311-VOCs	TCLP extracted VOCs	8/1/2022	7/31/2023	Certified
EPA 1320	Multiple Extraction Procedure	8/1/2022	7/31/2023	Certified
EPA 6010	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6010	Antimony	8/1/2022	7/31/2023	Certified
EPA 6010	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6010	Barium	8/1/2022	7/31/2023	Certified
EPA 6010	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6010	Boron	8/1/2022	7/31/2023	Certified
EPA 6010	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6010	Calcium	8/1/2022	7/31/2023	Certified
EPA 6010	Chromium	8/1/2022	7/31/2023	Certified
EPA 6010	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6010	Copper	8/1/2022	7/31/2023	Certified
EPA 6010	Iron	8/1/2022	7/31/2023	Certified
EPA 6010	Lead	8/1/2022	7/31/2023	Certified
EPA 6010	Lithium	8/1/2022	7/31/2023	Certified
EPA 6010	Magnesium	8/1/2022	7/31/2023	Certified
EPA 6010	Manganese	8/1/2022	7/31/2023	Certified
EPA 6010	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6010	Nickel	8/1/2022	7/31/2023	Certified
EPA 6010	Potassium	8/1/2022	7/31/2023	Certified
EPA 6010	Selenium	8/1/2022	7/31/2023	Certified
EPA 6010	Silica as SiO ₂	8/1/2022	7/31/2023	Certified
EPA 6010	Silver	8/1/2022	7/31/2023	Certified
EPA 6010	Sodium	8/1/2022	7/31/2023	Certified
EPA 6010	Strontium	8/1/2022	7/31/2023	Certified
EPA 6010	Thallium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 6010	Tin	8/1/2022	7/31/2023	Certified
EPA 6010	Titanium	8/1/2022	7/31/2023	Certified
EPA 6010	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6010	Zinc	8/1/2022	7/31/2023	Certified
EPA 6020	Aluminum	8/1/2022	7/31/2023	Certified
EPA 6020	Antimony	8/1/2022	7/31/2023	Certified
EPA 6020	Arsenic	8/1/2022	7/31/2023	Certified
EPA 6020	Barium	8/1/2022	7/31/2023	Certified
EPA 6020	Beryllium	8/1/2022	7/31/2023	Certified
EPA 6020	Cadmium	8/1/2022	7/31/2023	Certified
EPA 6020	Chromium	8/1/2022	7/31/2023	Certified
EPA 6020	Cobalt	8/1/2022	7/31/2023	Certified
EPA 6020	Copper	8/1/2022	7/31/2023	Certified
EPA 6020	Lead	8/1/2022	7/31/2023	Certified
EPA 6020	Manganese	8/1/2022	7/31/2023	Certified
EPA 6020	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 6020	Nickel	8/1/2022	7/31/2023	Certified
EPA 6020	Selenium	8/1/2022	7/31/2023	Certified
EPA 6020	Silver	8/1/2022	7/31/2023	Certified
EPA 6020	Thallium	8/1/2022	7/31/2023	Certified
EPA 6020	Thorium	8/1/2022	7/31/2023	Certified
EPA 6020	Uranium Total Mass	8/1/2022	7/31/2023	Certified
EPA 6020	Vanadium	8/1/2022	7/31/2023	Certified
EPA 6020	Zinc	8/1/2022	7/31/2023	Certified
EPA 7471	Mercury	8/1/2022	7/31/2023	Certified
EPA 8015	Diesel range organics (DRO)	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,1-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2,2-Tetrachloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	1,1-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	1,1-Dichloropropene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,3-Trichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2,4-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 8260	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,3,5-Trimethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	1,3-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	2,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 8260	2-Butanone (Methyl ethyl ketone, MEK)	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chloroethyl vinyl ether	8/1/2022	7/31/2023	Certified
EPA 8260	2-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	2-Hexanone	8/1/2022	7/31/2023	Certified
EPA 8260	4-Chlorotoluene	8/1/2022	7/31/2023	Certified
EPA 8260	4-Isopropyltoluene (p-Cymene)	8/1/2022	7/31/2023	Certified
EPA 8260	4-Methyl-2-pentanone (MIBK)	8/1/2022	7/31/2023	Certified
EPA 8260	Acetone	8/1/2022	7/31/2023	Certified
EPA 8260	Acrolein (Propenal)	8/1/2022	7/31/2023	Certified
EPA 8260	Benzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Bromochloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 8260	Bromoform	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Carbon disulfide	8/1/2022	7/31/2023	Certified
EPA 8260	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroethane (Ethyl chloride)	8/1/2022	7/31/2023	Certified
EPA 8260	Chloroform	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	cis-1,3-Dichloropropene (cis-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Dibromomethane (Methylene bromide)	8/1/2022	7/31/2023	Certified
EPA 8260	Dichlorodifluoromethane (Freon-12)	8/1/2022	7/31/2023	Certified
EPA 8260	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Gasoline range organics (GRO)	8/1/2022	7/31/2023	Certified
EPA 8260	Hexachlorobutadiene	8/1/2022	7/31/2023	Certified
EPA 8260	Isopropylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	m+p-xylene	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl bromide (Bromomethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl chloride (Chloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Methyl tert-butyl ether (MTBE)	8/1/2022	7/31/2023	Certified
EPA 8260	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 8260	Naphthalene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	n-Propylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	o-Xylene	8/1/2022	7/31/2023	Certified
EPA 8260	sec-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Styrene	8/1/2022	7/31/2023	Certified
EPA 8260	tert-Butylbenzene	8/1/2022	7/31/2023	Certified
EPA 8260	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Toluene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 8260	trans-1,3-Dichloropropene (trans-1,3-Dichloropropylene)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: RCRA (Solid & Waste Materials)

Method	Analyte	Start Date	Date Expires	Status
EPA 8260	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 8260	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	8/1/2022	7/31/2023	Certified
EPA 8260	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 8260	Xylene (total)	8/1/2022	7/31/2023	Certified
EPA 9040C	Corrosivity (pH)	8/1/2022	7/31/2023	Certified
EPA 9041A	Corrosivity (pH)	8/1/2022	7/31/2023	Certified
EPA 9045	Corrosivity (pH)	8/1/2022	7/31/2023	Certified
EPA 9056	Bromide	8/1/2022	7/31/2023	Certified
EPA 9056	Chloride	8/1/2022	7/31/2023	Certified
EPA 9056	Fluoride	8/1/2022	7/31/2023	Certified
EPA 9056	Nitrate as N	8/1/2022	7/31/2023	Certified
EPA 9056	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 9056	Sulfate	8/1/2022	7/31/2023	Certified
EPA 9081	Cation exchange capacity	8/1/2022	7/31/2023	Certified
EPA 9095B	Paint Filter Liquids Test	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.7	Barium	8/1/2022	7/31/2023	Certified
EPA 200.7	Boron	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium	8/1/2022	7/31/2023	Certified
EPA 200.7	Calcium hardness as CaCO ₃	8/1/2022	7/31/2023	Certified
EPA 200.7	Copper	8/1/2022	7/31/2023	Certified
EPA 200.7	Hardness by calculation	8/1/2022	7/31/2023	Certified
EPA 200.7	Iron	8/1/2022	7/31/2023	Certified
EPA 200.7	Magnesium	8/1/2022	7/31/2023	Certified
EPA 200.7	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.7	Potassium	8/1/2022	7/31/2023	Certified
EPA 200.7	Sodium	8/1/2022	7/31/2023	Certified
EPA 200.7	Zinc	8/1/2022	7/31/2023	Certified
EPA 200.8	Aluminum	8/1/2022	7/31/2023	Certified
EPA 200.8	Antimony	8/1/2022	7/31/2023	Certified
EPA 200.8	Arsenic	8/1/2022	7/31/2023	Certified
EPA 200.8	Barium	8/1/2022	7/31/2023	Certified
EPA 200.8	Beryllium	8/1/2022	7/31/2023	Certified
EPA 200.8	Cadmium	8/1/2022	7/31/2023	Certified
EPA 200.8	Chromium	8/1/2022	7/31/2023	Certified
EPA 200.8	Copper	8/1/2022	7/31/2023	Certified
EPA 200.8	Lead	8/1/2022	7/31/2023	Certified
EPA 200.8	Manganese	8/1/2022	7/31/2023	Certified
EPA 200.8	Molybdenum	8/1/2022	7/31/2023	Certified
EPA 200.8	Nickel	8/1/2022	7/31/2023	Certified
EPA 200.8	Selenium	8/1/2022	7/31/2023	Certified
EPA 200.8	Silver	8/1/2022	7/31/2023	Certified
EPA 200.8	Strontium	8/1/2022	7/31/2023	Certified
EPA 200.8	Thallium	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2022	7/31/2023	Certified
EPA 200.8	Vanadium	8/1/2022	7/31/2023	Certified
EPA 200.8	Zinc	8/1/2022	7/31/2023	Certified
EPA 218.7	Chromium VI	8/1/2022	7/31/2023	Certified
EPA 245.1	Mercury	8/1/2022	7/31/2023	Certified
EPA 300.0	Chloride	8/1/2022	7/31/2023	Certified
EPA 300.0	Fluoride	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrate as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Nitrite as N	8/1/2022	7/31/2023	Certified
EPA 300.0	Sulfate	8/1/2022	7/31/2023	Certified
EPA 300.1	Bromate	8/1/2022	7/31/2023	Certified
EPA 300.1	Bromide	8/1/2022	7/31/2023	Certified
EPA 300.1	Chlorate	8/1/2022	7/31/2023	Certified
EPA 300.1	Chlorite	8/1/2022	7/31/2023	Certified
EPA 314.0	Perchlorate	8/1/2022	7/31/2023	Certified
EPA 524.2	1,1,1-Trichloroethane	8/5/2022	7/31/2023	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2022	7/31/2023	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Benzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Bromodichloromethane	8/1/2022	7/31/2023	Certified
EPA 524.2	Bromoform	8/1/2022	7/31/2023	Certified
EPA 524.2	Carbon tetrachloride	8/1/2022	7/31/2023	Certified
EPA 524.2	Chlorobenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2022	7/31/2023	Certified
EPA 524.2	Chloroform	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: NV00930

Attachment to Certificate Number: NV009302023-2

Expiration Date: 7/31/2023

Silver State Analytical Laboratories - Las Vegas
3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	Ethylbenzene	8/1/2022	7/31/2023	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2022	7/31/2023	Certified
EPA 524.2	Styrene	8/1/2022	7/31/2023	Certified
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2022	7/31/2023	Certified
EPA 524.2	Toluene	8/1/2022	7/31/2023	Certified
EPA 524.2	Total trihalomethanes	8/1/2022	7/31/2023	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2022	7/31/2023	Certified
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2022	7/31/2023	Certified
EPA 524.2	Vinyl chloride	8/1/2022	7/31/2023	Certified
EPA 524.2	Xylene (total)	8/1/2022	7/31/2023	Certified
EPA 552.3	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2022	7/31/2023	Certified
EPA 552.3	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2022	7/31/2023	Certified
EPA 552.3	Dibromoacetic acid (DBAA)	8/1/2022	7/31/2023	Certified
EPA 552.3	Dichloroacetic acid (DCAA)	8/1/2022	7/31/2023	Certified
EPA 552.3	Haloacetic acids (HAA5)	8/1/2022	7/31/2023	Certified
EPA 552.3	Trichloroacetic acid (TCAA)	8/1/2022	7/31/2023	Certified
SM 2120 B	Color	8/1/2022	7/31/2023	Certified
SM 2130 B	Turbidity	8/1/2022	7/31/2023	Certified
SM 2150 B	Odor	8/1/2022	7/31/2023	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2022	7/31/2023	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2022	7/31/2023	Certified
SM 2340 B	Calcium hardness as CaCO ₃	8/1/2022	7/31/2023	Certified
SM 2340 B	Hardness by calculation	8/1/2022	7/31/2023	Certified
SM 2340 C	Total hardness as CaCO ₃	8/1/2022	7/31/2023	Certified
SM 2510 B	Conductivity	8/1/2022	7/31/2023	Certified
SM 2540 D	Residue-nonfilterable (TSS)	8/1/2022	7/31/2023	Certified
SM 2550 B	Temperature, deg. C	8/1/2022	7/31/2023	Certified
SM 4500-Cl G	Free chlorine (residual)	8/1/2022	7/31/2023	Certified
SM 4500-Cl G	Total Chlorine (residual)	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: **NV00930**

Attachment to Certificate Number: **NV009302023-2**

Expiration Date: **7/31/2023**

Silver State Analytical Laboratories - Las Vegas
 3626 E. Sunset Rd. Suite 100 Las Vegas, NV 89120-

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
SM 4500-CN ⁻ E	Cyanide	8/1/2022	7/31/2023	Certified
SM 4500-H+ B	pH	8/1/2022	7/31/2023	Certified
SM 4500-NO ₂ ⁻ B	Nitrite as N	8/1/2022	7/31/2023	Certified
SM 4500-P E	Orthophosphate as P	8/1/2022	7/31/2023	Certified
SM 5540 C	Surfactants - MBAS	8/1/2022	7/31/2023	Certified
Discipline: Microbiology				
IDEXX Colilert®-18	Escherichia coli	8/1/2022	7/31/2023	Certified
IDEXX Colilert®-18	Total coliforms	8/1/2022	7/31/2023	Certified
IDEXX SimPlate® under SWTR	Heterotrophic plate count	8/1/2022	7/31/2023	Certified
SM 9222 B (M-Endo)	Total coliforms	8/1/2022	7/31/2023	Certified
SM 9222 D (m-FC) under SWTR	Fecal coliforms	8/1/2022	7/31/2023	Certified
SM 9223 B	Escherichia coli	8/1/2022	7/31/2023	Certified
SM 9223 B	Total coliforms	8/1/2022	7/31/2023	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.